Indiana State Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION A. BUILDING:		(X3) DATE SURVEY COMPLETED
					С
		010889	B. WING		02/21/2020
NAME OF PROVIDER OR SUPPLIER STREET ADDRESS, CITY, STATE, ZIP CODE					
WYNDMOOR OF PORTAGE, LLC PORTAGE, IN 46368					
(X4) ID PREFIX TAG	(EACH DEFICIENC)	ATEMENT OF DEFICIENCIES Y MUST BE PRECEDED BY FULL SC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD CROSS-REFERENCED TO THE APPROPE DEFICIENCY)	BE COMPLETE
R 000	00 INITIAL COMMENTS		R 000		
	This visit was for the IN00319620.	Investigation of Complaint			
	Complaint IN00319620 - Unsubstantiated due to lack of evidence.				
	Survey date: February 21, 2020				
	Facility number: 010889				
	Residential Census: 39				
	Wyndmoor of Portage was found to be in compliance with 410 IAC 16.2-5 in regard to the Investigation of Complaint IN00319620.				
	Quality review completed on 2/21/20.				

Indiana State Department of Health
LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE (X6) DATE